

UnitedHealthcare Pharmacy
Clinical Pharmacy Programs

Program Number	2026 P 2415-1
Program	Prior Authorization/Medical Necessity
Medication	Icotyde™ (icotrokinra)
P&T Approval Date	4/2026
Effective Date	6/1/2026

1. Background:

Icotyde (icotrokinra) is an interleukin-23 receptor antagonist indicated for the treatment of moderate-to-severe plaque psoriasis in adults and pediatric patients 12 years of age and older who weigh at least 40 kg who are candidates for systemic therapy or phototherapy.

2. Coverage Criteria^a:

A. Plaque Psoriasis

1. Initial Authorization

a. **Icotyde** will be approved based on **all** of the following criteria:

(1) Diagnosis of moderate to severe plaque psoriasis

-AND-

(2) **One** of the following:

(a) **All** of the following:

i. Greater than or equal to 3% body surface area involvement, palmoplantar, facial, genital involvement, or severe scalp psoriasis

-AND-

ii. History of failure to **one** of the following topical therapies, unless contraindicated or clinically significant adverse effects are experienced (document drug, date, and duration of trial):

- a. Corticosteroids (e.g., betamethasone, clobetasol, desonide)
- b. Vitamin D analogs (e.g., calcitriol, calcipotriene)
- c. Tazarotene
- d. Calcineurin inhibitors (e.g., tacrolimus, pimecrolimus)
- e. Anthralin
- f. Coal tar

-AND-

iii. History of failure to a 3 month trial of methotrexate at maximally indicated dose, unless contraindicated or clinically significant adverse effects are experienced (document date and duration of trial)^b

-OR-

(b) Patient has been previously treated with a systemic targeted immunomodulator FDA-approved for the treatment of plaque psoriasis as documented by claims history or submission of medical records (Document drug, date, and duration of therapy) [e.g., adalimumab, Bimzelx (bimekizumab-bkzx), Cimzia (certolizumab), Cosentyx (secukinumab), Enbrel (etanercept), Ilumya (tildrakizumab), Otezla (apremilast), Skyrizi (risankizumab), Siliq (brodalumab), Sotyktu (deucravacitinib), Taltz (ixekizumab), Tremfya (guselkumab), ustekinumab]

-OR-

(c) **Both** of the following:

i. Patient is currently on Icotyde therapy as documented by claims history or submission of medical records (Document date and duration of therapy)

-AND-

ii. Patient has **not** received a manufacturer supplied sample at no cost in the prescriber's office, or any form of assistance from the Janssen sponsored CarePath Savings program (e.g., sample card which can be redeemed at a pharmacy for a free supply of medication) as a means to establish as a current user of Icotyde*

-AND-

(3) Patient is not receiving Icotyde in combination with another systemic targeted immunomodulator [e.g., adalimumab, Bimzelx (bimekizumab-bkzx), Cimzia (certolizumab), Cosentyx (secukinumab), Enbrel (etanercept), Ilumya (tildrakizumab), Otezla (apremilast), Skyrizi (risankizumab), Siliq (brodalumab), Sotyktu (deucravacitinib), Taltz (ixekizumab), Tremfya (guselkumab), ustekinumab] for treatment of the same indication

-AND-

(4) Prescribed by or in consultation with a dermatologist

* Patients requesting initial authorization who were established on therapy via the receipt of a manufacturer supplied sample at no cost in the prescriber's office or any form of assistance from the Janssen sponsored CarePath Savings program **shall be required** to meet initial authorization criteria as if patient were new to therapy.

Authorization will be issued for 12 months.

2. Reauthorization

a. **Icotyde** will be approved based on **all** of the following criteria:

(1) Documentation of positive clinical response to Icotyde therapy

-AND-

(2) Patient is not receiving Icotyde in combination with another systemic targeted immunomodulator [e.g., adalimumab, Bimzelx (bimekizumab-bkzx), Cimzia (certolizumab), Cosentyx (secukinumab), Enbrel (etanercept), Ilumya (tildrakizumab), Otezla (apremilast), Skyrizi (risankizumab), Siliq (brodalumab), Sotyktu (deucravacitinib), Taltz (ixekizumab), Tremfya (guselkumab), ustekinumab] for treatment of the same indication

Authorization will be issued for 12 months.

^a State mandates may apply. Any federal regulatory requirements and the member specific benefit plan coverage may also impact coverage criteria. Other policies and utilization management programs may apply.

^b For Connecticut, Kentucky and Mississippi business only a 30-day trial will be required.

3. Additional Clinical Rules:

- Notwithstanding Coverage Criteria, UnitedHealthcare may approve initial and re-authorization based solely on previous claim/medication history, diagnosis codes (ICD-10) and/or claim logic. Use of automated approval and re-approval processes varies by program and/or therapeutic class.
- Supply limits may be in place.

4. Reference:

1. Icotyde [package insert]. Horsham, PA: Janssen Biotech Inc.; March 2026.
2. Menter A, Strober BE, Kaplan DH, et al. Joint AAD-NPF guidelines of care for the management and treatment of psoriasis with biologics. J Am Acad Dermatol. 2019;80:1029-72.

Program	Prior Authorization/Medical Necessity - Icotyde (icotrokinra)
Change Control	
4/2026	New program